



Prises industrielles à encastrer

IP 44/67



IP67 **IP44** **≥125A**

- > Intensité In de 16 à 125 A
- > Position de la terre 6h
- > Résistance IK08
- > Résistance 960°
- > Test pointe 125°
- > Norme 60309-1/-2



TENSION D'UTILISATION	TYPE	POLARITÉ	AMPÉRAGE	PRISE ENCASTRÉE IP44	PRISE ENCASTRÉE IP67
24 V	Euro	2P 	16 A	51032	-
	NF		16 A	51010	-
	Euro	2P+T	16 A	51102	51602
	Euro		32 A	51104	51604
200/250 V	Euro		63 A		51606
	Euro		16 A	51112	51612
	Euro		32 A	51114	51614
	Euro	3P+T	63 A	-	51616
	Euro		125 A	-	51618
	Euro		16 A	51116	51622
	Euro		32 A	51118	51624
	Euro	3P+N+T	63 A	-	51626
	Euro		125 A	-	51628
	Euro				





Prises industrielles sur socle

IP 44/67

IP67 **IP44** **≥125A**

- > In de 16 à 125 A
- > Position de la terre 6h
- > Résistance IK08
- > Résistance 960°
- > Test pointe 125°
- > Norme 60309-1/-2



TENSION D'UTILISATION	TYPE	POLARITÉ	AMPÉRAGE	PRISE IP44	PRISE IP67
200/250 V	Euro		16 A	51202	51702
	Euro	2P+T	32 A	51204	51704
	Euro		63 A	-	51706
380/415 V	Euro		16 A	51212	51712
	Euro		32 A	51214	51714
	Euro	3P+T	63 A	-	51716
	Euro		125 A	-	51718
	Euro		16 A	51216	51722
	Euro		32 A	51218	51724
	Euro	3P+N+T	63 A	-	51726
	Euro		125 A	-	51728
	Euro				





Prises industrielles femelles

IP 44/67



IP67 **IP44** **≥125A**

- > Intensité In de 16 à 125 A
- > Position de la terre 6h
- > Résistance IK08
- > Résistance 960°
- > Test pointe 125°
- > Norme 60309-1/-2



TENSION D'UTILISATION	TYPE	POLARITÉ	AMPÉRAGE	PRISE IP44	PRISE IP67
24 V	Euro	2P	16 A	51036	-
	NF		16 A	51014	-
200/250 V	Euro	2P+T 	16 A	51402	51902
	Euro		32 A	51404	51904
	Euro	3P+T 	63 A	-	51906
	Euro		16 A	51412	51912
380/415 V	Euro	3P+T 	32 A	51414	51914
	Euro		63 A	-	51916
	Euro		125 A	-	51918
	Euro		16 A	51416	51922
	Euro	3P+N+T 	32 A	51418	51924
	Euro		63 A	-	51926
	Euro		125 A	-	51928
	Euro				





Prises industrielles mâles

IP 44/67

IP67 IP44 $\geq 125A$

- > Intensité In de 16 à 125 A
- > Position de la terre 6h
- > Résistance IK08
- > Résistance 960°
- > Test pointe 125°
- > Norme 60309-1/-2



TENSION D'UTILISATION	TYPE	POLARITÉ	AMPÉRAGE	PRISE IP44	PRISE IP67
24 V	Euro	2P	16 A	51034	-
	NF		16 A	51012	-
	Euro		16 A	51302	51802
200/250 V	Euro	2P+T	32 A	51304	51804
	Euro		63 A	-	51806
	Euro		16 A	51312	51812
380/415 V	Euro		32 A	51314	51814
	Euro	3P+T	63 A	-	51816
	Euro		125 A	-	51818
	Euro		16 A	51316	51822
	Euro		32 A	51318	51824
	Euro	3P+N+T	63 A	-	51826
	Euro		125 A	-	518 28
	Euro				

