

STREETOS SLIM

SLI027021NW_PW

Street luminaire with dusk sensor STREETOS SLIM, with a power of 50 W, high light efficacy 120 lm/W. It is made of high-quality components, supported by a 5-year warranty. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. IK08 class provides impact resistance. It shines with light of neutral - the most universal colour (4000K).




Power	50 W	Voltage	230 V
Colour temperature	4000 K	Colour of light	Neutral white
Beam angle	140/85 °	IK	08
Degree of protection (IP)	IP65		

Technical data

Code	SLI027021NW_PW
Power	50 W
Nominal current	220 mA
Voltage	230 V
Energy consumption	50 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power factor	0.900000
Useful luminous flux*	6000 lm (360°)
Luminous flux**	5000 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	140/85 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Housing material	Aluminum, PC
IK	08
Degree of protection (IP)	IP65
Colour	Black
Dimension (AxBxC)	505x109x76 mm
Mounting hole	60 mm
For use	Outside
Assembly method	na słup
Application	EXT
Made in	PRC
Other	185-265V ,

Logistics data

Bulk packaging	10 pcs.
Quantity per pallet	180 pcs.
Gross weight (1 pcs.)	0.9 kg



Related documents



User manual



Declaration of Conformity



Photometric file

