

NYMPHEA OPTIMA BLACK CCT

SLI031050CCT_PW

Plafond NYMPHEA OPTIMA BLACK CCT with the possibility of changing the light color (CCT), with a power of 36 W, high light efficacy 120 lm/W. Thanks to the ability to change the color temperature (CCT) in the range 3000 / 4000 / 6000K, we can adjust the light color depending on our needs and preferences. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

CCT

Power	36 W	Voltage	230 V
Colour temperature	3000/4000/6000 K	Colour of light	CCT
Beam angle	120 °	Degree of protection (IP)	IP20

Technical data

Code	SLI031050CCT_PW
Power	36 W
Nominal current	165 mA
Voltage	230 V
Energy consumption	36 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.950000
Useful luminous flux*	4300 lm (360°)
Luminous flux**	3240 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
Beam angle	120 °
RA	80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Plastic
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	400x50 mm
For use	Inside
Assembly method	On the ceiling, Suspended
Application	Inside
Certified by the National Institute of Hygiene	Yes
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,

Logistics data

Bulk packaging	10 pcs.
Quantity per pallet	120 pcs.
Gross weight (1 pcs.)	1.05 kg

Related documents

 User manual Declaration of Conformity Photometric file

