

FIALE CORE COMPLETE

SLI043031CCT_PW

Recessed lighting luminaire FIALE CORE COMPLETE with the possibility of changing the light color (CCT), with a power of 7 W. Thanks to the ability to change the color temperature (CCT) in the range 2700 / 4000 / 6000K, we can adjust the light color depending on our needs and preferences. Narrow beam angle 45° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.

CCT


Power	7 W	Voltage	230 V
Colour temperature	2700/4000/6000 K	Colour of light	CCT
Beam angle	45 °	Degree of protection (IP)	IP20

Technical data

Code	SLI043031CCT_PW
Power	7 W
Nominal current	46 mA
Voltage	230 V
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0.500000
Useful luminous flux*	560 lm (90°)
Luminous flux**	600 lm (360°)
Lamp efficacy	80 lm/W
Luminous intensity	600 cd
Colour temperature	2700/4000/6000 K
Colour of light	CCT
Beam angle	45 °
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Plastic
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	90x85 mm
Mounting hole	75 mm
For use	Inside
Assembly method	Recessed
Application	INT
Made in	PRC
Other	Light color change function 2700K/4000K/6000K ,

Logistics data

Bulk packaging	40 pcs.
Quantity per pallet	1120 pcs.
Gross weight (1 pcs.)	0.1 kg



Related documents

 User manual Declaration of Conformity Photometric file

