

CHLOE COMPLETE

SLI043035CCT_PW

Surface-mounted luminaire CHLOE COMPLETE with the possibility of changing the light color (CCT), with a power of 7 W. Thanks to the ability to change the color temperature (CCT) in the range 2700 / 4000 / 6000K, we can adjust the light color depending on our needs and preferences. Narrow beam angle 45° gives directional light so that selected objects or surfaces can be better exposed. Designed for surface mounting.

CCT

Power	7 W	Voltage	230 V
Colour temperature	2700/4000/6000 K	Colour of light	CCT
Beam angle	45 °	UGR	<19
Degree of protection (IP)	IP20		

Technical data

Code	SLI043035CCT_PW
Power	7 W
Nominal current	46 mA
Voltage	230 V
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0.500000
Useful luminous flux*	560 lm (90°)
Luminous flux	600 lm (360°)
Lamp efficacy	80 lm/W
Luminous intensity	600 cd
Colour temperature	2700/4000/6000 K
Colour of light	CCT
Beam angle	45 °
UGR	<19
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Plastic
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	90x90x100 mm
For use	Inside
Assembly method	On the ceiling
Application	INT
Made in	PRC
Other	Light color change function 2700K/4000K/6000K ,

Logistics data

Bulk packaging	40 pcs.
Quantity per pallet	1120 pcs.
Gross weight (1 pcs.)	0.25 kg

*applies to the LED source used

Related documents



User manual



Declaration of Conformity

