




WAGO Rail-Mount Terminal Blocks TOPJOB® S

Three Ways to Wire!




WAGO Rail-Mount Terminal Block TOPJOB® S with Push-Button

Applications:

- Required by specification
- Ideal when other components use push-button actuation

Through and ground terminal blocks with push-buttons and Push-in CAGE CLAMP®



Your Benefits:

- Use any standard operating tool
- Orange color highlights the operating element for clarity
- Globally recognized feature — ideal for field wiring

WAGO Rail-Mount Terminal Block TOPJOB® S with Lever

Applications:

- Grid feed-in
- Simultaneous connection of multi-core sheathed cables
- Frequent rewiring on the field side

Through and ground terminal blocks with levers and Push-in CAGE CLAMP®




Your Benefits:

- Intuitive, tool-free connection and disconnection of all conductor types
- Lever stays open, keeping both hands free for wiring
- Side conductor entry simplifies connection of rigid conductors

WAGO Rail-Mount Terminal Block TOPJOB® S with Operating Slot

Applications:

- Ideal for factory wiring
- Universal use with proven connection technology – no retraining required



Overview of
Actuation Variants:
Available on YouTube



Your Benefits:

- The actuation tool stays in the operating slot — leaving your hands free for wiring.
- The inserted actuation tool marks the current terminal position and keeps it open.

Overview of Actuation Variants

Features/Benefits	Operating Slot	Push-Button	Lever
Intuitive operation		✓	✓
Both hands free	✓		✓
Direct insertion (Push-in CAGE CLAMP®)	✓	✓	✓
Type of tool	Operating tool	Any tool	No tool required
Contact quality	✓	✓	✓
For all applications	✓	✓	✓
Safety reserves (current-carrying capacity)	✓	✓	✓
One jumper system for all terminal block types	✓	✓	✓
One jumper for all actuation variants	✓	✓	✓

Connection Technology

All WAGO TOPJOB® S Rail-Mount Terminal Blocks feature a universal Push-in CAGE CLAMP® connection. They support a connection range from 0.14 to 25 mm². Solid and stranded conductors, as well as fine-stranded conductors with ferrules, can be inserted directly without tools. Depending on the terminal block's nominal cross-section and the conductor type, insertion is possible starting at 0.5 mm².

Advantages of the Spring Clamp Connection:

- Vibration-proof
- Maintenance-free
- Long service life



Direct insertion (Push-in): solid and ferruled conductors



Insert fine-stranded conductors via operating tool



Remove all conductor types via operating tool

More information on
connection technology:



Accessories

Jumper System



Push-In Type Jumper Bars

e.g., 2000 ... 2002 Series
2- to 10-pole, from 1-to-3 up
to 1-to-10



Adjacent Jumpers for Continuous Commoning

2002 Series
2- and 5-pole



Staggered Jumpers

2002 Series
2- to 12-pole

Marking Media



Device Marking

Type plates



Cable and Conductor Markers

Wire markers



Terminal Block Marking

Marking strips
WMB Inline

Workflow Solutions for Control Cabinets

WAGO Configurator – Smart Designer

Electrical control panel planning is increasingly digitalized and automated for maximum efficiency. The foundation: the digital twin of the control panel.

Smart Designer helps you configure circuits online — quickly and easily — according to your requirements.



WAGO Marking Software – Smart Script

The software is clear and intuitive for all control cabinet marking tasks. Paired with the compact WAGO Thermal Transfer Smart Printer and a comprehensive range of terminal block markers, cable and conductor markers, and device labels, it delivers a complete, optimized system.



Your Benefits:

- Modern design and intuitive operation
- Professional marking of terminal blocks, labels, nameplates and conductor markers
- Optimized data interface to WAGO Configurator Smart Designer, EPLAN, Microsoft Excel and CSV

WAGO Thermal Transfer Printer – Smart Printer

The Smart Printer is universally applicable for all control cabinet marking tasks. With a practical dongle and the WAGO Marking App, you can create print jobs easily on the go. Wireless connectivity via *Bluetooth®* or *WiFi®* ensures maximum flexibility during use.



Your Benefits:

- Low purchase cost
- Easy commissioning
- Compact design
- Durable print — smudge- and scratch-resistant

WAGO GmbH & Co. KG
Postfach 2880 · D-32385 Minden
Hansastraße 27 · D-32423 Minden
info@wago.com
www.wago.com

Headquarters	+49 (0)571/ 887 - 0
Sales	+49 (0)571/ 887 - 44 222
Orders	+49 (0)571/ 887 - 44 333

WAGO is a registered trademark of WAGO Verwaltungsgesellschaft GmbH.

"Copyright – WAGO Kontakttechnik GmbH & Co. KG – All rights reserved. The content and structure of the WAGO websites, catalogs, videos and other WAGO media are subject to copyright. Distribution or modification of the contents of these pages and videos is prohibited. Furthermore, the content may neither be copied nor made available to third parties for commercial purposes. Also subject to copyright are the images and videos that were made available to WAGO Kontakttechnik GmbH & Co. KG by third parties."