

NOCTIS MAX CCT

SLI029082CCT_PW

NOCTIS MAX CCT FLOODLIGHT 20W CCT 230V IP65 175x134x28mm GREY 5Y WARRANTY



Power	20 W	Voltage	230 V
Luminous flux*	2000 lm (120°)	Colour temperature	3000 / 4000 / 6000 K
Colour of light	CCT	Beam angle	85 °
IK	08	Degree of protection (IP)	IP65

Technical data

Code	SLI029082CCT_PW
Power	20 W
Nominal current	80 mA
Voltage	230 V
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power factor	0.930000
Useful luminous flux*	2000 lm (120°)
Luminous flux	2000 lm (360°)
Lamp efficacy	100 lm/W
Luminous intensity	1300 cd
Colour temperature	3000 / 4000 / 6000 K
Colour of light	CCT
Beam angle	85 °
RA	80
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Housing material	aluminum
IK	08
Degree of protection (IP)	IP65
Colour	Szary
Dimension (AxBxC)	175x134x28 mm
For use	Outside
Assembly method	On the ceiling
Application	EXT
Other	Light color change function 3000K / 4000K / 6000K ,


Logistics data

Bulk packaging	40 pcs.
Quantity per pallet	960 pcs.
Gross weight (1 pcs.)	0.35 kg


*applies to the LED source used

Related documents



 User manual



 Declaration of Conformity

